

# GET SERVICES

## VALIDATION

GET web service that allows querying a transaction by specifying its unique identifier.

Name	Validation
URL	{URL_Base}/api/{ProjectName}/Validation/{id}
TYPE	GET

### PARAMETERS

Name	Data Type	Parameter Type	Required	Description
ProjectName	String	Path	Yes	The assigned project name
apiKey	String	Header	Yes	The key assigned to the project
id	Int	path	Yes	The unique identifier of the transaction to be queried
returnImages	Boolean	query	Yes	Determines whether images are returned in the query
returnDocuments	boolean	header	Yes	Parameter that determines whether signed documents are returned or not.
returnVideoLiveness	boolean	header	Yes	Parameter that determines whether the Liveness video will be returned in Base64 format.

Authorization	string	header	No	Access token
---------------	--------	--------	----	--------------

## RESPONSES

Code	Response	Description
401	client not authorized to make requests The api key value is required Authorization is required to use this method	The ApiKey, ProjectName, or DocType parameter is incorrect.
404	The specified project was not found Transaction not found	There are no records for the pair of document type and number, and the condition of a successful process.
200	<a href="#">Response Object Description</a>	JSON-formatted object containing the information of the queried transaction.
500		An error has occurred, please check the error and try again.

The Images field displays ImageTypeId, which are described in 'RESPONSE DICTIONARY IMAGES'; in the same array, the Liveness video is returned.

# FINDBYNUMBERID

GET web service that returns the last case for the specified client.

Name	FindById
URL	{URL_Base}/api/{ProjectName}/FindById
TYPE	GET

## PARAMETERS

Name	Data Type	Parameter Type	Required	Description
ProjectName	String	Path	Yes	The assigned project name
apiKey	String	Header	Yes	The key assigned to the project
identification	String	query	Yes	The customer's identification number
docType	String	query	Yes	Document type to be queried
returnImages	Boolean	query	Yes	Determines whether the images of the transaction will be returned.
Authorization	string	header	No	Access token

RESPONSES

Code	Response	Description
401	ApiKey or Project or DocType not valid	The ApiKey, ProjectName, or DocType parameter is incorrect.
404	Client not found.	There are no records for the pair of document type and number.

200	<pre> {   "Uid": "string",   "StartingDate": "string",   "CreationDate": "string",   "CreationIP": "string",   "DocumentType": 0,   "IdNumber": "string",   "FirstName": "string",   "SecondName": "string",   "FirstSurname": "string",   "SecondSurname": "string",   "Gender": "string",   "BirthDate": "string",   "Street": "string",   "CedulateCondition": "string",   "Spouse": "string",   "Home": "string",   "MaritalStatus": "string",   "DateOfIdentification": "string",   "DateOfDeath": "string",   "MarriageDate": "string",   "Instruction": "string",   "PlaceBirth": "string",   "Nationality": "string",   "MotherName": "string",   "FatherName": "string",   "HouseNumber": "string",   "Profession": "string",   "TransactionType": 0,   "TransactionTypeName": "string",   "IssueDate": "string",   "BarcodeText": "string",   "OcrTextSideOne": "string",   "OcrTextSideTwo": "string",   "SideOneWrongAttempts": 0,   "SideTwoWrongAttempts": 0,   "FoundOnAdoAlert": false,   "AdoProjectId": "string",   "TransactionId": "string",   "ProductId": "string",   "ComparationFacesSuccessful": false,   "FaceFound": false,   "FaceDocumentFrontFound": false,   "BarcodeFound": false,   "ResultComparationFaces": 0,   "ComparationFacesAproved": false,   "Extras":{     "IdState": "string",     "StateName": "string"   },   "NumberPhone": "string",   "CodFingerprint": "string",   "ResultQRCode": "string",   "DactilarCode": "string",   "ResponseControlList": "string",   "Images":[ {     "Id": int,     "ImageTypeId": "String", </pre>	<p>JSON-formatted object containing the information of the queried transaction.</p>
-----	--	---

The Images field displays ImageTypeId and ImageTypeName, which are described in 'RESPONSE DICTIONARY IMAGES'.

# FINDBYNUMBERIDSUCCESS

Endpoint that returns the most recent case with a rating of 'Satisfactory Process', which corresponds to code 2, for the queried document.

Name	FindByNumberIdSuccess
URL	{URL_Base}/api/{ProjectName}/FindByNumberIdSuccess
TYPE	GET

## PARAMETERS

Name	Data Type	Parameter Type	Required	Description
ProjectName	String	Path	Yes	The assigned project name
apiKey	String	Header	Yes	The key assigned to the project
identification	String	query	Yes	The client's identification number
doctype	Integer (\$int32)	query	Yes	The type of document to be queried
returnImages	Boolean	query	Yes	Indicates whether the transaction images will be returned
Authorization	string	header	No	Access token

Enrol	Boolean	query	No	This parameter indicates whether the process will be queried with enrollment or not; this depends on the site configuration and whether enrollment is enabled
-------	---------	-------	----	---

**RESPONSES**

Code	Response	Description
400	Error description message: The type of document is not valid	There is an error in the submitted model or the document type provided is not found
401	The api key value is required Authorization is required to use this method	The 'apiKey' parameter is missing or the 'projectName-apiKey' combination is not valid
404	The specified project was not found	The submitted 'projectName' was not found, or no transaction was found with the provided data

```

1  {
2
3      "Uid": "string",
4      "StartingDate": "2022-09-06T01:56:10.620Z",
5      "CreationDate": "2022-09-06T01:56:10.620Z",
6      "CreationIP": "string",
7      "DocumentType": 0,
8      "IdNumber": "string",
9      "FirstName": "string",
10     "SecondName": "string",
11     "FirstSurname": "string",
12     "SecondSurname": "string",
13     "Gender": "string",
14     "BirthDate": "2022-09-06T01:56:10.620Z",
15     "Street": "string",
16     "CedulateCondition": "string",
17     "Spouse": "string",
18     "Home": "string",
19     "MaritalStatus": "string",
20     "DateOfIdentification": "2022-09-06T01:56:10.620Z",
21     "DateOfDeath": "2022-09-06T01:56:10.620Z",
22     "MarriageDate": "2022-09-06T01:56:10.620Z",
23     "Instruction": "string",
24     "PlaceBirth": "string",
25     "Nationality": "string",
26     "MotherName": "string",
27     "FatherName": "string",
28     "HouseNumber": "string",
29     "Profession": "string",
30     "ExpeditionCity": "string",
31     "ExpeditionDepartment": "string",
32     "BirthCity": "string",
33     "BirthDepartment": "string",
34     "TransactionType": 0,
35     "TransactionTypeName": "string",
36     "IssueDate": "string",
37     "BarcodeText": "string",
38     "OcrTextSideOne": "string",
39     "OcrTextSideTwo": "string",
40     "SideOneWrongAttempts": 0,
41     "SideTwoWrongAttempts": 0,
42     "FoundOnAdoAlert": true,
43     "AdoProjectId": "string",
44     "TransactionId": "string",
45     "ProductId": "string",
46     "ComparationFacesSuccessful": true,
47     "FaceFound": true,
48     "FaceDocumentFrontFound": true,
49     "BarcodeFound": true,
50     "ResultComparationFaces": 0,
51     "ResultCompareDocumentFaces": 0,
52     "ComparationFacesAproved": true,
53     "ThresholdCompareDocumentFaces": 0,
54     "CompareFacesDocumentResult": "string",
55     "Extras": {
56         "additionalProp1": "string",
57         "additionalProp2": "string",
58         "additionalProp3": "string"
59     },
60     "NumberPhone": "string",
61     "CodFingerprint": "string",
62     "ResultQRCode": "string",
63     "DactilarCode": "string",
64     "ReponseControlList": "string",
65     "Latitude": "string",
66     "Longitude": "string",
67     "Images": [
68         {
69             "Id": 0,
70             "ImageTypeId": 0,
71             "ImageTypeName": "string",
72             "Image": "string",
73             "DownloadCode": "string"
74         }
75     ],
76     "SignedDocuments": [
77         "string"
78     ],
79     "Scores": [

```

A JSON-formatted object containing the information of the queried transaction

The 'Images' field displays 'ImageTypeId' and 'ImageTypeName', which are described in the 'Images Response Dictionary'

# IDENTIFICATIONTYPES

GET web service that returns all identification types defined in the application

Name	FindByNumberId
URL	{URL_Base}/api/{ProjectName}/IdentificationTypes
TYPE	GET

## PARAMETERS

Name	Data Type	Parameter Type	Required	Description
ProjectName	String	Path	Yes	The assigned project name
apiKey	String	Header	Yes	The key assigned to the project
Authorization	string	Header	No	Access token

## RESPONSES

Code	Response	Description
200	<pre>{   "Id": int,   "IdentitificationName":     "String",   "Active": boolean,   "Locked": boolean,   "ActiveDescription": "String",   "LockedDescription": "String" }</pre>	JSON-formatted object containing the information of the queried transaction.

The document type ID can be found in 'DOCUMENT DICTIONARY'.

# TEMPLATES



GET web service that returns the templates by enrolled identification in the application.

Name	Templates
URL	{URL_Base}/api/{ProjectName}/Templates
TYPE	GET

## PARAMETERS

Name	Data Type	Parameter Type	Required	Description
ProjectName	String	Path	Yes	The assigned project name
apiKey	String	Header	Yes	The key assigned to the project
DocumentType	Integer	Query	Yes	Number of the registered document type in the platform.
IdentificationNumber	String	Query	Yes	Identification number
Authorization	string	Header	No	Access token.

## RESPONSES

Code	Response	Description
200	<pre>{   IdentificationTypeId: Integer,   IdentificationType: "String",   IdentificationNumber: "String",   FirstName: "String",   SecondName: "String",   FirstSurname: "String",   SecondSurname: "String",   Gender: "String",   Templates: [     TemplateType: "String",     Template: "String",   ] }</pre>	JSON-formatted object containing the information of the queried transaction.
401	ApiKey or Project or Authorization not valid	The ApiKey, ProjectName, or Authorization field is incorrect.
404	Customer not Found	Identification number not enrolled in the platform.

The TemplateType field has two options: 'FaceTemplate,' which corresponds to the enrolled face template, and 'FingerTemplate,' which corresponds to the fingerprint template that is enrolled when fingerprint reading applies.

# RISKCLASIFICATION

GET web service that returns the risk levels per configured transaction.

Name	Templates
URL	{URL_Base}/api/Integration/GetRiskClassification
TYPE	GET

## RESPONSES

Code	Response	Description
200	{ <b>Id:</b> Int,  <b>From:</b> Int, <b>To:</b> Int }	"JSON-formatted object containing the information of the configured risk levels. Each risk level includes the following three parameters.

This would be an example of how risk levels could be configured in the platform. Intervals cannot overlap; each new ID must respect the value of X+1.

## Risk Levels

Id	From	To
1	\$0	\$1.000.000
2	\$1.000.001	\$15.000.000
3	\$15.000.001	\$50.000.000
4	\$50.000.001	\$100.000.000

